

Table Set











Featuring fabrics from the **Spring Has Sprung** collection by **Sharla Fults** for **STUDIO**

Fabric Requirements - Table Runner

(A) 3905-1	¼ yard
(B) 3904-60	¼ yard

A Free Project Sheet

NOT FOR RESALE

Fabric Requirements - (4) Place Mats

(A) 3906-10 3/	4 yard
----------------	--------

⁽B) 3904-22 3/4 yard*

(F) 1351-Pigment White** 1/4 yard **Backing**

3905-1 1 yard

Additional Supplies Needed

Batting (1) 46" x 28", (4) 20" x 16" (Recommended:

Air Lite® Color Me 100% Cotton) Piecing and sewing thread Quilting and sewing supplies

Quilt designed by Heidi Pridemore Finished Runner Size 37 1/2" x 19 1/2" Finished Place Mat Size 16" x 12" Skill Level: Advanced Beginner

⁽C) 3904-22 ½ yard*

⁽D) 1351-Pigment White** 1/8 yard

⁽E) 3906-10 1 1/4 yards **Backing**

^{3907-10 1 1/3} yards

^{*}Includes Binding

^{**}Just Color! Collection

⁽C) 3904-60 1/4 yard

⁽D) 1351-Powder Pink** 1/4 yard

⁽E) 3907-10 1/4 yard

Cutting

Cutting Instructions - Runner

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (3905-1 Chicks and Eggs - White), cut:

• (1) 6 ½" x 24 ½" WOF strip.

Fabric B (3904-60 Buzzing Bees - Green), cut:

• (2) 2" x WOF strip. Sub-cut (22) 2" squares.

Fabric C (3904-22 Buzzing Bees - Pink), cut:

- (2) 2" x WOF strip. Sub-cut (22) 2" squares.
- (4) 2 ½" x WOF strips for the binding.

Fabric D (1351-Pigment White Just Color! - Pigment White), cut:

• (2) 1 $\frac{1}{4}$ " x WOF strips. Sub-cut each strip into (1) 1 $\frac{1}{4}$ " x 29" strip and (1) 1 $\frac{1}{4}$ " x 9 $\frac{1}{2}$ " strip.

Fabric E (3906-10 Large Spring Stripe – Multi), cut:

- (2) 5" x 42" LOF strips.
- (2) 5" x 24" LOF strips.

Backing (3907-10 Jelly Beans - Multi), cut:

• (1) 28" x 46" strip for the back.

Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Runner Top Assembly

(Follow the Figure 3 while assembling the runner top)

- 1. Sew (2) 2" Fabric C squares and (2) 2" Fabric B squares together, alternating them. Repeat to make a second strip. Sew (1) strip to each side of the $6\frac{1}{2}$ " x $24\frac{1}{2}$ " Fabric A strip (Fig. 1). Pay attention to orientation of the strips.
- 2. Sew (9) 2" Fabric B squares and (9) 2" Fabric C squares together, alternating them. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Fabric A strip to make the Center Block (Fig. 1).
- 3. Sew (1) 1 ¼" x 9 ½" Fabric D strip to each side of the Center Block. Sew (1) 1 ¼" x 29" Fabric D strip to the top and to the bottom of the Center Block.




Fig. 1

STUDIO e PROJECTS www.studioefabrics.com

- 4. Center (1) 5" x 24" Fabric E strip on one side of the Center Block and pin in place. Start sewing the strip a 1/4" from the top edge of the block and stop a 1/4" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.
- 5. Repeat Step 4 to sew (1) 5" x 42" Fabric E strip to the top and to the bottom of the Center Block, making sure to stop and start 1/4" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 2).
- 6. Starting at the sewn seam (represented by the arrow in Figure 2), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners to make the Runner Top.




Fig. 2

Layering, Quilting and Finishing

7. Press the runner top and 46" x 28" backing well. Layer backing (wrong side up), batting, pressed runner top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

- 8. Cut the ends of the (4) Fabric C binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
- 9. Sew the binding to the front of the runner, raw edges together. Turn the folded edge to the back, and hand stitch in place.




Fig. 3

Cutting Instructions - Place Mats

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (3906-10 Large Spring Stripe - Multi):

• Fussy cut (4) 11 ½" squares.

Fabric B (3904-22 Buzzing Bees - Pink), cut:

- (3) 1" x WOF strips, sub-cut (8) 1" x 11 $\frac{1}{2}$ " strips.
- (3) 1" x WOF strips, sub-cut (8) 1" x 12 ½" strips.
- (7) 2 ½" x WOF strips for the binding.

Fabric C (3904-60 Buzzing Bees - Green), cut:

• (1) $2\frac{1}{2}$ " x WOF strip, sub-cut (4) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " strips and (8) $2\frac{1}{2}$ " squares.

Fabric D (1351-Powder Pink Just Color! - Powder Pink), cut:

- (1) 2 ½" x WOF strip, sub-cut (8) 2 ½" x 4 ½" strips.
- (1) 2 ½" x WOF strip, sub-cut (16) 2 ½" squares.

Fabric E 3907-10 Jelly Beans - Multi), cut:

- (1) 2 ½" x WOF strip, sub-cut (8) 2 ½" x 4 ½" strips.
- (1) 2 ½" x WOF strip, sub-cut (16) 2 ½" squares.

Fabric F (1351-Pigment White Just Color! - Pigment White), cut:

• (1) 2 ½" x WOF strip, sub-cut (4) 2 ½" x 4 ½" strips and (8) 2 ½" squares.

Backing (3905-1 Chicks and Eggs - White), cut:

• (2) 16" x WOF strips, sub-cut (4) 16" x 20" strips for the backs.

Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Place Mat Tops Assembly

(Follow Figure 15 while assembling the place mat tops.)

10. Sew (1) 1" x 11 $\frac{1}{2}$ " Fabric B strip to each side of (1) 11 $\frac{1}{2}$ " Fabric A square. Sew (1) 1" x 12 $\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A square to make (1) Unit 1 block (Fig. 1). Repeat to make (4) Unit 1 blocks total.






Fig. 4

• STUDIO **e** PROJECTS • www.studioefabrics.com


- 11. Place (1) $2\frac{1}{2}$ " Fabric D square on the right side of (1) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric C strip, right sides together (Fig. 5). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 5). Flip open the triangle formed and press (Fig. 6). Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}$ " seam allowance.
- 12. Place another 2 ½" Fabric D square on the left side of the 2 ½" x 4 ½" Fabric C strip, right sides together (Fig. 7). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 7). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 2 strip (Fig. 8).
- 13. Repeat Steps 11-12 to make four Unit 2 strips total.



- 14. Repeat Steps 11-12 using (4) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric D strips and (8) $2\frac{1}{2}$ " Fabric E squares to make (4) Unit 3 strips (Fig. 9).
- 15. Repeat Steps 11-12 using (4) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric E strips and (8) $2\frac{1}{2}$ " Fabric F squares to make (4) Unit 4 strips (Fig. 10).
- 16. Repeat Steps 11-12 using (4) 2 ½" x 4 ½" Fabric F strips and (8) 2 ½" Fabric E squares to make (4) Unit 5 strips (Fig. 11).
- 17. Repeat Steps 11-12 using (4) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric E strips and (8) $2\frac{1}{2}$ " Fabric D squares to make (4) Unit 6 strips (Fig. 12).
- 18. Repeat Steps 11-12 using (4) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric D strips and (8) $2\frac{1}{2}$ " Fabric C squares to make (4) Unit 7 strips (Fig. 13).



- 19. Sew (1) of each Unit 2 through Unit 7 together, in numerical order, lengthwise, to make (1) Unit 8 strip (Fig. 14). Repeat to make (4) Unit 8 strips total.
- 20. Sew (1) Unit 8 strip to the left side of (1) Unit 1 block to make (1) Place Mat top (Fig., 15). Repeat to make (4) Place Mat tops total.



Layering, Quilting and Finishing

21. Press the place mat tops and 20° x 16° backings well. Layer backings (wrong side up), batting, pressed place mat tops (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

- 22. Cut the ends of the (7) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together. Divide the long strip into (4) equal lengths.
- 23. Sew the bindings to the front of the place mats, raw edges together. Turn the folded edge to the back, and hand stitch in place.